Council: S. Dzylinski, Poland
V. Gostin, Australia
G. Gvirtzman, Israel
Al Hashimi, Iraq
H. Okada, Japan
P. Timofeev, U.S.S.R.

Officers of the IAS during General Assembly at Jerusalem:
left to right, Claude Monty (General Secretary),
Albert Matter (former Editor), S.J. Nio (Treasurer), and
Ken Hsü (President).

CONFERENCE REPORTS...

INCREASED INTEREST IN ANTARCTICA SCAR: XV Meeting

Held in the shadow of Mount Blanc at Chamonix, France May 22-26, 1978 and hosted by the French National Committee on Antarctic Research, the XV Meeting of ICSU's Scientific Committee on Antarctic Research (SCAR) marked the twentieth anniversary of the organization with increased growth in membership: Poland and Germany were added to the original 12 member countries. About 100 participants attended, along with 16 observers and representatives from several international organizations.

Four SCAR working groups met during the previous week: "Biology" and its sub-committees devoted much time to BIOMASS, a proposed survey of the present living resources of Antarctica and the surrounding areas; "Human Biology and Medicine" considered and recommended a plan for an international biomedical expedition in Antarctica; "Meteorology" produced an interesting report on long-term studies of the global climate system; "Logistics" drew attention to problems created by the increasing number of tourists in Antarctica.

SCAR delegates also heard reports from ten working groups, five specialist groups, and on eight scientific symposia. Recommendations from the 1977 meeting of the Working Group on Geology were adopted with slight modification, and governments will be informed of the importance of the proposed international project in North Victoria Land. Also approved were joint resolutions from the "Geology" and "Solid-Earth Geophysics" Working Groups on the need for aeromagnetic surveys, paleomagnetic studies, deep seismic soundings and field studies in Antarctica, along with marine surveys in the adjacent Southern Ocean.

Reports were received from specialist groups on seals,

living resources of the Southern Ocean, Late Cenozoic studies, ice shelf drilling projects, and environmental impact assessment of mineral resource exploration and exploitation. SCAR decided to arrange for prompt publication of the latter report.

The proceedings of three SCAR symposia (on polar oceans, Montreal, 1974; biology, Washington, 1974; and circum-Antarctic marine geology, Sydney, 1976) have recently been published, and three others (glacial history and paleoenvironment, Birmingham, 1977; geology and geophysics, Madison, 1977; and polar atmospheres, Seattle, 1977) are in preparation. Future symposia are being planned on meteorology (Canberra, 1979) and glaciology (Columbus, 1981).

The SCAR delegates elected G.A. Knox (N.Z.) as President and G.A. Avsiuk (U.S.S.R.) as Secretary for the 1978-1982 period. The next SCAR meeting is tentatively scheduled for August or September of 1980 in New Zealand.

SCAR delegates considered at length present and future relationships between SCAR and the Antarctic Treaty nation governments and certain mission-oriented intergovernmental organizations. Looking ahead, the delegates asked the officers to prepare a fresh statement of purpose for SCAR. With the growing interest in Antarctica, and requests for advice, SCAR must find additional financial support, particularly for its advisory panels and for publication of the proceedings of its scientific symposia.

*Campbell Craddock
IUGS Representative to SCAR*

ICSU COMMITTEE ON TEACHING OF SCIENCE COVERS BROAD AGENDA

New developments in teaching and learning strategies – this was a major issue on a wide-ranging agenda devoted to the teaching of science at a meeting held in April by the ICSU Committee on the Teaching of Science (CTS).

Specific topics under review included:

- the results of the UNESCO – supported CTS project investigating new techniques in the teaching of university science; these will appear late in 1978 in a publication being prepared by Cardiff University Press;
- the seminar devoted to fostering cooperation between science and mathematics teachers which was promoted by CTS in conjunction with UNESCO and the International Committee on Mathematical Instruction and Physics Education. CTS hopes that the seminar will lead to a more expanded conference at a later date;
- CTS participation in the forthcoming U.N. Conference on Science and Technology for Development (UNCSTD) and the steps that should be taken to promote discussion on education at it. Individual Education Committees of the Unions will be invited to raise topics which will then be considered by CTS Executive Committee at the ICSU General Assembly with a view to submitting written papers for the U.N. Colloquium. The feasibility of a "follow-up" conference after UNCSTD will be discussed with various organizations;
- educational aspects pertaining to the role of science in society were considered in the light of recent CTS work on environmental science and integrated sciences. Topics such as energy, mineral resources, the role of industry, poverty and the quality of life, and many others are now being incorporated into educational curricula; taken under the general heading "science in society" they leave scope for the involvement of geological, geographical, biological and other scientific unions in developing curricula more traditionally reserved for disciplines such as physics, mathematics and chemistry. CTS is anxious to continue its advisory role to UNESCO in the important areas of environmental and integrated science;
- a CTS sub-group which will consider international cooperation in the field of technical education; a seminar on this subject is being planned;
- the CTS – promoted International Council of Associations for Science Education (ICASE) has flourished and the results of the recent successful Conference on Integrated Science Education organized by ICASE will be appearing in Volume 5 of the UNESCO publication "New Trends in the Teaching of Integrated Sciences". ICASE membership now includes 44 associations;
- ways of establishing closer liaison with the science education activities of COSTED; CTS commended COSTED's initiative in organizing successful conferences in Kabal, Sri Lanka and Africa;
- similarly, the ongoing cooperative program with SCOPE and its successful conferences held in Ghana, Malaysia and Latin America were discussed;
- the first issue of the CTS Newsletter, scheduled for late 1978, will carry reports on the above-mentioned conferences. Distributed free of charge, the bi-annual Newsletter should prove a good way of keeping Unions informed of CTS activities and the education-oriented undertakings of other Unions. (Details on the Newsletter may be obtained from the Secretary of CTS, Mr. J. Lewis, Malvera College, Malvera, Wales, U.K.).

The CTS meeting, chaired by Professor C.A. Taylor of the IUCr and held in Nijmegen, Netherlands, attracted representatives from ten scientific unions, UNESCO and ICSU. The Committee will hold its next meeting early in 1979 to allow for sufficient discussion of possible CTS input to the U.N. Conference on Science and Technology for Development.

John Sutton
Chairman, IUGS Committee
on Geology Teaching

COSPAR ATTRACTS 1100 SCIENTISTS

Program emphasis was on atmospheric studies, solar terrestrial physics and planetary studies at the annual meeting of ICSU's Committee on Space Research (COSPAR), which attracted some 1100 delegates to Innsbruck, Austria in June. Earth resources were covered on the final day. Working Group 6, devoted to "Meteorology and Earth Resources", held several meetings and, as IUGS representative, I introduced the following proposals through Working Group 6B (Earth Resources):

1. It would be worthwhile organizing a two-day workshop on Remote Sensing and Mineral Exploration for the large group of geologists in India and the neighbouring countries who are involved or have expressed interest in IGCP Project 143 (Remote sensing and mineral exploration) during the next COSPAR meeting, scheduled for June 1979 in Bangalore, India.

2. With the encouragement of the Programme Committee of the XXVI International Geological Congress, I invited

COSPAR to send a representative to Paris in 1980 to provide the Congress with an overview paper on COSPAR and the latest space accomplishments; this will set the tone for Congress Session 11 on "Teledetection".

3. I suggested that COSPAR might wish to explore the feasibility of arranging for a display and/or table with publications to be exhibited at the forthcoming IGC.

If accepted, some of these proposals could provide for greater participation by geologists in the COSPAR program.

At present, it appears that after 1980 COSPAR will meet every two years to reduce the high costs of travel. The existing working groups will probably disappear and be replaced by scientific and technical commissions and an executive commission.

W.D. Carter
IUGS Representative to COSPAR

FACTS AND PRINCIPLES OF WORLD OIL OCCURRENCE

CSPG: 50th Anniversary Conference

Sources and costs of future supplies of oil in the world were highlighted during the first day of deliberations at the fiftieth anniversary conference of the Canadian Society of Petroleum Geologists (CSPG) held in Calgary June 26 to 28. It was pointed out that the question of price in determining supply had become of great importance, the sudden surplus of oil in the world being due to recent price increases.

Peter Lougheed, Premier of the Province of Alberta, Canada, explained the position of his government, which controls 90% of Canadian oil and gas supplies. He said that Canada can only achieve self-sufficiency in hydrocarbons through the private sector; Mr. Lougheed felt that governments must provide an attractive environment for industry, and supply incentives such as ensuring a world price for oil, if the high risk of exploring for petroleum is to be contemplated. On the controversial point of exporting surplus reserves, Mr. Lougheed said that he favours export after a 30-year supply for Alberta has been safeguarded. He also favours the development of heavy oil reserves, including the Athabasca Tar Sands.

His Excellency Sheikh Ahmed Zaki Yamani, Minister of Petroleum and Mineral Resources for Saudi Arabia, stated that a temporary oversupply of oil existed in the world due to new production in the United Kingdom, Norway and Alaska, but that this would change in the second half of 1979. New supplies will have to come from the OPEC countries, but only two countries, Saudi Arabia and Iraq, have the potential for new discoveries of sufficient magnitude to materially affect world supply.

Price, he felt, will be an important factor: there may be gradual increases over the next many years, or there could be a very sharp and large increase when the major shortfall of oil occurs, likely in the late 1980's. Sheikh Yamani said that his country prefers gradual increases since this permits them to achieve continual real economic growth without disrupting the world economy. On the other hand, a sharp increase of great proportion will occur if the gradual price increases have not taken place, and this will result in a catastrophic disruption of the world economy.

He pointed out that the world has a major problem in learning to conserve energy and in planning a smooth transition to other sources of energy prior to the date of the major shortfall.

His Excellency, Sheikh Yamani addresses CSPG delegates; others at the head table are, left to right: J.M. Browning, Conference Chairman and Dr. Donald Stott, President of the CSPG.

M. Adelman of M.I.T. (U.S.A.) stated that the supply situation is simply a function of prices. As price increases, so will supply. He said that there will not be a sharp increase in the price of oil because of longer term purchase contracts now in effect and, secondly, because the world is storing large quantities of oil which will act as a buffer against sudden price increases. Obviously, too, it is not in the best interest of OPEC to cause a political and economic crisis which would result inevitably from dramatic increases in the price of oil.

K.H. Guff (U.S.A.) in his talk on "Frontiers of World Exploration", described a system of basins which he considered had higher potential for major future reserves. Plays such as the Bight of Australia, the Baltimore Canyon and the Labrador Sea were singled out as having high potential, largely due to favourable maturation and good trapping mechanisms. He stated that certain rift systems also have high potential, such as the Porcupine Basin and the Rockall Plateau, which are analogous to the North Sea deposits. Potential exists in some areas of continental margins (such as the east coast of Canada) and in ancient deltas (for example, the Beaufort Sea north of Canada in the Arctic).

Sir Peter Kent (U.K.) reviewed the geological factors controlling the occurrence of oil in the North Sea. The new geological concepts based on the vast information collected from almost 500 exploratory wells suggest a potential as great as the 11 billion barrels proven so far. He indicated that five basins were potential major producers: the Porcupine Sea Bight, the Celtic Sea, the English Channel, the Rockall Basin and the Shetlands-Faeroes Basin.

The evening speaker, Anthony Sampson, author of the book "The Seven Sisters", offered a delightful and informative change of pace. In discussing the major oil companies, he pointed out that people are still very suspicious of them. He felt there may be only one solution to this problem – the breaking up of the multinational oil companies. If this is to be avoided, the oil companies must become more public-minded and accountable for their actions. It is up to them to prove that there is competition between them and that they are not, in effect, a cartel.

The remaining papers in the technical sessions were all of extremely high quality and only a few can be singled out:

- The talk on the La Reforma area of Mexico by Jose Santiago Acevedo (Mexico) was most informative. The area is producing 810,000 barrels of petroleum per day and 1.14 billion cubic feet of gas from 141 wells. This production is backed by 7.8 billion barrels of proven oil and a potential of 29 billion barrels. Oil has been found in various fields from the Cretaceous carbonates in the onshore area. Numerous structures remain to be drilled. Offshore, three fields have been discovered and these are producing 17° oil from the Paleocene. It is expected that Cretaceous production will also be found offshore. Current results suggest an ultimate production of two million barrels of petroleum per day and 5.5 billion cubic feet of natural gas per day. The offshore area was described in some detail, and the regional geology of this area and the adjacent Peten area was further explained by J.M. Browning (Canada) in his talk on Latin America.

- The future potential of Norway was covered by

CONFERENCE REPORTS (continued)

E.I. Bergsager (Norway). From work done by the Norwegian Petroleum Directorate it appears that there is as much oil to be discovered in new areas as has been found to date. The Norwegian shelf with large structures in Cretaceous rocks, and the Barents Sea with good source rocks, have the best potential. Bergsager downgraded the Spitzbergen Bank because seismic studies have indicated low porosities. The Jan Mayen Ridge is rated as highly questionable.

- John Masters' paper on the Deep Basin Gas Trap of Western Canada reviewed the discovery of the Elsworth gas field, with proven and probable reserves of two trillion cubic feet. This was the culmination of a study of 25,000 logs. The gas is trapped in low porosity, low yield sands of the Mesozoic. The trapping mechanism is interpreted as a "water block" and not the usual type of impervious seal. Approximately 400 trillion cubic feet of gas may be present.

Because of the costs of drilling and completing these wells, higher prices for the gas are required to make them economical. Mr. Masters believes that 150 tcf of recoverable reserves are produceable at a price of \$2/mcf and that 50 tcf are recoverable at present prices.

In the Principles section, many new geological ideas were discussed. It was plain from the majority of the papers that there are considerable hydrocarbons to be found, but the search is not going to be easy and price will be a major factor in making it economical.

The Conference proved that specialty sessions by "hand-picked" experts in their respective fields will draw large interested audiences and will provide exceptional papers. The papers will be published by the Canadian Society of Petroleum Geologists in Memoir 6, to be edited by Dr. A.D. Miall of the Institute of Sedimentary and Petroleum Geology in Calgary, Canada.

J.M. Browning
General Chairman, CSPG Conference

ENERGY AND MINERAL RESOURCE POTENTIAL

Second CPEMRC, Hawaii, July 30 - August 4

A comprehensive scientific program dedicated to the theme of energy and mineral resources of the Circum-Pacific was presented at the second international Circum-Pacific Energy and Mineral Resources Conference (CPEMRC) held in Honolulu and attended by some 750 delegates.

Global reviews set the stage for the scientific sessions. For example, Friedrich Bender (F.R.G.) offered an authoritative analysis of the present and future supplies of energy resources, stressing the fact that it will be the physical availability and not political-economic considerations which will assure supplies. The critical energy problems of the Pacific Basin itself were discussed by Harrison Brown (U.S.A.) who presented the following summary: "The major problem facing the oil-importing countries during the next 20 years will be that of negotiating a smooth transition from crude oil

to alternate energy supplies while achieving, in the process, some measure of energy self-sufficiency. Most approaches to the accomplishment of this goal will create a new set of serious problems that can only be resolved through international cooperative efforts."

The first two days were devoted to plenary meetings followed by three days of concurrent sessions. Major topics covered included hydrocarbons, minerals, geothermal and renewable energy resources, tectonics and the environment in the Circum-Pacific. Following are some highlights which may be of interest to geologists:

- A.A. Meyerhoff (U.S.A.) summarized the petroleum potential of the Peoples' Republic of China through geological analysis of the major basins. Most

International educational exhibits were presented in the CPEMRC's Exhibits Pavilion; above, the IUGS exhibit.

CONFERENCE REPORTS (continued)

of the petroleum is currently extracted from onshore, shallow basins largely of continental origin. Many host rocks exhibit low permeability so that a lower ultimate recovery is now predicted. Offshore there have been three discoveries of oil off the southern Chinese mainland, but these have not yet been fully evaluated. The prognosis is that exploration in the South China Sea will be difficult because of the apparent horst and graben topography interpreted from seismic exploration.

- A useful review by J.I. Corvalan (Chile) presented a comprehensive summary of the regional lithological, tectonic and mineral trends in western South America as related to the Pacific margin. The various geosynclinal sequences were given as a framework for interpreting the iron, copper, polymetallic, and tin provinces which are found distributed sequentially from west to east. Of particular interest from the point of view of continental accretion are the reports of apparent Precambrian strata on western margins of both Chile and southern Peru.

- A cohesive and well attended session on the final day dealt with the tectonic evolution of Western North America. J. Casey Moore (U.S.A.) presented new data on the stratigraphy and internal fabric of certain sequences (such as the latest Cretaceous mélange) in the Aleutian Islands, Alaska Peninsula and Shumagin Kodiak Shelf in the northeastern Pacific Ocean, which led to a detailed reconstruction of the geological evolution of this area.

- G.M. McMurtry (U.S.A.) presented evidence that the primary metallogenesis at oceanic spreading centres is the convective cooling of the basaltic intrusives and extrusives by circulating sea water. Data collected in the areas of the East Pacific Rise and Bauer Basin at a latitude of approximately 15°S are consistent with the model of two major reservoirs, one a subsurface sulfide reservoir with reducing, acidic, high temperature conditions (approximately 300° centigrade), and another a surface hydroxide reservoir with oxidizing, alkaline, low temperature conditions (about 2° centigrade). The subsurface reservoir corresponds approximately to a classical hydrothermal ore deposit, but the surficial metalliferous sediments found along the crest of the East Pacific Rise and Bauer Basin resemble more the iron rich laterite soils, both in mode of formation and the composition of major elements.

- At an evening session devoted to the International Geological Correlation Programme chaired by John Katili (Indonesia), John Reinemund (U.S.A.) reviewed the growth of the program into a strong scientific framework for international cooperation. Project leaders or their representatives summarized the achievements and future plans of projects active in the Circum-Pacific; these include Project 32: Stratigraphic correlations between sedimentary basins in the ESCAP region, Project 30: Circum-Pacific plutonism, Project 98: Standards for computer applications in resource studies, Project 143: Remote sensing and mineral exploration, and Project 156: Phosphorites of the Proterozoic-Cambrian.

An integral part of the conference was the display of the manuscript thematic maps put on by the Circum-Pacific Map Project, and a note on this by P.W. Richards of the Circum-Pacific Map Committee follows this report.

The conference was preceded by two smaller conferences and a series of workshops and field trips immediately following it. Spearheading the conference was the initiative and drive of Michel T. Halbouty, Chairman of the Circum-Pacific Council for Energy and Mineral

Resources, who was aided by a hardworking team which included John C. Maher, Vice Chairman of the Council and Donald A. Henriksen, General Chairman of CPEMRC. Organized under the auspices of the Council and sponsored jointly by AAPG, CCOP, The Pacific Science Association, the American Mining Congress and the University of Hawaii, the conference received cooperation from about 70 international agencies or institutions, including IUGS. AAPG will be publishing the papers presented at the conference in the near future.

W.W. Hutchison

John Maher (standing, left), Vice Chairman of the Circum-Pacific Council for Energy and Mineral Resources, receives a plaque from Michel Halbouty, Council Chairman, at the CPEMR Conference in Hawaii. Seated, left to right are Donald Henriksen, General Chairman of the Conference and Honourable K.E. Newman, Minister of National Development, Australia. (Photo courtesy Nancy A. Mundorf)

Circum-Pacific Map Project

Progress made by the Circum-Pacific Map Project was demonstrated at CPEMRC by a display of painted geographic maps and compilers' copies of thematic maps. A series of five multi-colour geographic maps covering the Pacific region and Antarctica has been published by AAPG. A second series of two-colour "working" base maps without geographic names covers the same areas. These are also printed at a scale of 1:10 million and on equal-area projections. The sixth and last geographic and base maps, covering the Pacific basin at the scale of 1:20 million and also on an equal-area projection, will be published later in 1978.

On display were compilers' copies of thematic maps, mostly incomplete except for land geology. These included:

Geology: All Quadrants of the Pacific and Antarctica

Tectonics: Northwest Quadrant

Geodynamics: Northwest Quadrant

Mineral Resources: Northwest, Northeast, and Southeast

Hydrocarbon resources: Northeast

The method of coding the Project's mineral information for computer storage was shown graphically by M.E. Paidokovich and P.W. Guild of the U.S. Geological Survey.

Panel Chairmen who have been chiefly responsible for the thematic compilations are: Northwest – Chikao Nishiwaki, and Shum-ichi Sano, Deputy Chairman; Northeast – K.J. Drummond; Southeast – José Corvalan; Southwest – R.N. Richmond; and Antarctica – F.A. Wade.

Paul W. Richards
Deputy Chairman of Operations
Circum-Pacific Map Committee

GEOCHRON LABORATORIES

SHORT FORM PRICE LIST

K-AR AGE DETERMINATIONS:

Prepared samples, ready to analyze	\$250
Whole rock samples, requiring preparation	\$275
Rock samples, requiring mineral separation	\$300
PRIORITY SERVICE, 48 hour delivery, all types	\$600

NOTE: All K and Ar analyses are performed in duplicate to insure reliability.

RADIOCARBON (C-14) AGE DETERMINATIONS:

All sample types, including pretreatment	\$140
With C-13 corrections (bone, shell, etc.)	\$160

STABLE ISOTOPE RATIO ANALYSES (SIRA):

Sulfur Isotopes (δS^{34}):	
SO ₂ gas	\$20
Metallic sulfides	\$40
Sulfates	\$60
Sulfur in organic compounds	\$75
Carbon Isotopes (δC^{13}):	
CO ₂ gas	\$20
Carbonates	\$35
Organic carbon	\$45
Oxygen Isotopes (δO^{18}):	
CO ₂ gas	\$20
Water	\$30
Carbonates	\$30

Write or call for more detailed information or brochures.

No discounts are available, but we will consider negotiating contracts for larger research programs.

Delivery times average 30 days but are subject to backlog.

WORLD LEADER IN APPLIED GEOCHRONOLOGY AND ISOTOPE GEOLOGY FOR ALMOST 20 YEARS.

KRUEGER ENTERPRISES, INC.
GEOCHRON LABORATORIES DIVISION

24 BLACKSTONE STREET
CAMBRIDGE, MASSACHUSETTS 02139
(617) 876-3691