CONFERENCE REPORTS...

PHOSPHATE EXPERTS GATHER IN AUSTRALIA

Phosphate rock — one of the world's more significant non-renewable resources and the prime source material for phosphate fertilizer — is of great importance to most countries. Not surprising then that 12 of them sent a total of 58 geoscientists to northern Australia August 14-24, to discuss the nature and origin of phosphate deposits. This was the first international meeting of IGCP Project 156, and it may well be that the Project's findings will indirectly aid the discovery of new sources of phosphate rock, particularly those of the Proterozoic and Cambrian ages. Although there is no shortage of phosphate rock on a world basis, many countries, particularly those of the Asian region, lack their own supplies of this commodity.

The conference was split into two parts. A field workshop examined Middle Cambrian phosphatic sequences in the Georgina Basin to the south and northwest of Mount Isa, northwestern Queensland, between August 14 and 20. The second part was a seminar conducted on Magnetic Island on the north Queensland coast from August 21 to 24.

During the first two days of the field conference, the stratigraphic setting of the phosphate deposits was examined in the Ardmore area south of Mount Isa, and in the Burke River Structural Belt, south of Duchess. At Ardmore, clear evidence was seen for hypersaline deposits underlying the Beetle Creek Formation (the main phosphate-bearing formation). Phosphorite horizons and secondary phosphorites (phoscrete) were examined. These were of particular significance to R.P. Sheldon of the U.S. Geological Survey: he had predicted in 1966 that phosphate deposits might be present in the Cambrian of the Georgina Basin, but had not, until this conference, actually seen them.

After a night at the township of Monument, participants spent most of the next day examining the large Duchess phosphate deposits of B.H. South Ltd. Delegates compared and contrasted features in the Georgina Basin deposits with those from such distant places as the People's Republic of Mongolia, Yunnan (People's Republic of China), Birmania (India), Hazara (Pakistan) and Niger. The question of the depositional environment of the phosphorites provoked numerous discussions, as did the origin of associated large-scale breccias.

On returning to Mount Isa, a morning was spent underground inspecting both copper and silver-lead-zinc strata-bound mineralization in the Mount Isa Mine, and an afternoon examining surface exposures of the Proterozoic Mount Isa Group. Base metal mineralization is not, of course, the prime concern of Project 156. Nevertheless, the occurrence in Rajasthan of mineralization in sediments laterally equivalent to the Proterozoic phosphorites there, makes it a topic which cannot be totally divorced from the interests of the Project.

For the following two days, the field workshop moved to the Lady Annie area northwest of Mount Isa to inspect a major phosphate deposit of Middle Cambrian age. Unlike the deposit at Duchess, parts of this one comprise thick beds of fine-grained, non-pelletal phosphorite variously called collophane mudstone, phospholite or microspherite. The depositional environment of this phosphorite type proved to be a controversial topic: while the deposits had clearly been extensively weathered, few could agree on the timing or the significance of the weathering. All did agree on the desirability of further research and the need to obtain

Group photograph of participants in the Magnetic Island seminar during the first international meeting of IGCP Project 156.

CONFERENCE REPORTS (continued)

fresh material to establish the nature of the primary rock and the effects of weathering on the ore grade.

With the first workshop concluded, the conference underwent a dramatic change of venue, with delegates flying from the dry interior of Australia to the tropical Magnetic Island off the northern Queensland coast, where a four-day seminar on phosphorites was held. A general paper on the global distribution of phosphorites of Proterozoic to Cambrian age was presented by A.J.G. Notholt, followed by a paper by R.P. Sheldon on phosphogenic provinces of the Circum-Pacific Region. The spatial and temporal distribution of phosphorites, and the development of models related to plate tectonics, was then discussed by P.J. Cook, and A.M. Ziegler proposed similar upwelling models based on computer simulation of plate movements. A different approach was taken by R.A. Henderson who suggested a model for the diagenetic formation of phosphorites by hypersaline, phosphorus-rich groundwater. E.A. Eganov pointed to the presence (and importance) of cyclicity in many phosphate deposits.

The seminar then turned to specific deposits, considering first the Georgina Basin. Basin stratigraphy and palaeogeography were discussed by J.H. Shergold, while P.N. Southgate concentrated on the hypersaline environments. P.F. Howard and D. Hackett considered specific phosphate deposits in the Basin, and the Georgina session concluded with A.R. Palmer pointing to similarities in the lithofacies/biofacies patterns in the Cambrian of the Basin and Range of western United States.

Turning further afield, the conference heard a review of the phosphate deposits of China by Yeh Lien-chun, followed by a detailed analysis of the Yunnan deposits by Wang Chung-wu. K.Y. Foo discussed the Cambrian sediments of Malaysia (where there are no known phosphorites). A series of informative papers on a wide range of Proterozoic-Cambrian and younger phosphorites in India were then presented by D.M. Banerjee, R. Choudhuri, D.P. Deshmukh, H.H. Khan, A. Pant, A.M. Patwardhan and V.N. Sant. Discussion followed on the geology of phosphate deposits in the U.S.S.R. (A.L. Yanshin), while Yu.N. Zanin dealt with their mineralogy. Papers were presented on the Pakistan deposits (N.A. Bhatti) and those of Europe (A.J.G. Notholt), Upper Volta and Niger (M. Slansky), and Brazil (J.B. Cathcart).

The concluding session dealt with young phosphogenic systems, in which S.R. Riggs used Florida depositional patterns to produce a model. P.A. Trudinger discussed the role of micro-organisms in the concentration of phosphorus, a point echoed by M. Slansky, who stressed the importance of the association of dinoflagellates with phosphorite deposits. Relict off-shore deposits of the Chatham Rise, New Zealand, were considered by D.J. Cullen; modern deposits off Chile and Peru were described by W.C. Burnett; and J.R. Bremner spoke on those off southern Africa. Finally, H.H. Veeh presented his views on the phosphorus cycle.

Most participants agreed that the Georgina Basin phosphorites were deposited on a shallow epeiric continental shelf lying on the southern side of an east-west seaway in low palaeolatitudes. They also agreed with the upwelling model, and the suggestion that cool oceanic phosphorus-rich waters are likely to have upwelled along the northern margin of this shelf. Eustatic sea-level changes during the late Ordovician (early Middle Cambrian on the Australian stratigraphic scale) and early Templetonian resulted in widespread transgressions. It appears that a particular set of palaeogeographic and bathymetric conditions caused the entrapment of phosphate during Templetonian time. Of particular interest are the sedimentary rhythms (described by Eganov) developed within the Early Cambrian Karatau deposit (Kazakhstan), which are similar to those in the Middle Cambrian deposits of the Georgina Basin. While this repetitive sedimentation is clearly observed, it is poorly understood.

The seminar was unable to answer questions regarding the constancy of phosphate concentration during geological time, that is, whether the steady state assumption for the phosphorus cycle is always valid. The precise loci of phosphorus generation for Proterozoic and Cambrian deposits, and the actual amount of phosphorus involved, also remained unanswered. Little agreement exists regarding the exact depositional environments on the continental shelves: some argue that they are shallow subtidal waters, others speak of the intertidal and supratidal zone.

Closely related to this is the imperfectly understood mechanism of precipitation of the phosphate. Some consider the phosphate grains to be precipitated diagenetically from interstitial waters, while others prefer precipitation at the sediment/water interface or within the water column. The role of organisms in the precipitation mechanism is acknowledged, but not yet understood. Clearly there is a great need for more detailed geological and geochemical studies of modern upwelling areas.

The seminar also demonstrated the need for a common terminology in descriptions of phosphatic sediments, and a special session on the classification of phosphorites was chaired by M. Slansky on the fourth day of the proceedings. Needless to say, agreement was not reached on this, but it was decided to circulate various possible schemes for discussion at the next meeting. A second special session was chaired by R.P. Sheldon on the important topic of establishing a world phosphate resource data bank which could form the basis for a multidisciplinary approach to the assessment of phosphate deposits.

It was probably the first time that so many phosphate experts from around the world had come together at one meeting; the discussion and information that was generated makes it clear that it should not be the last. Participants agreed on the desirability of holding annual meetings on deposits of varying ages within the Proterozoic-Cambrian time constraint. Accordingly, having examined the Middle Cambrian deposits of Australia, the Project hopes to hold a second international meeting on the Proterozoic deposits of India in 1979.

Grateful acknowledgement is extended to UNESCO and IUGS for their support in making this meeting possible, and also to all the government agencies, mining companies, university departments, and individual scientists who helped make the meeting a success.*

Peter J. Cook
Australian National University

John H. Shergold
Australian Bureau of
Mineral Resources

(Project Leaders of IGCP Project 156)

*This report is published with the approval of the Director, Bureau of Mineral Resources, Canberra, Australia.)

American, Indian and Australian geologists at one of the exposures of phosphate rock examined during the field workshop in the Mount Isa area, Australia.

SIGNIFICANT GLOBAL RESEARCH BEHIND ICSU's ACRONYMS

17th General Assembly
Athens, September 24-29, 1978

The growing involvement of the International Council of Scientific Unions (ICSU) in seeking solutions to the general problems affecting mankind was evident during the proceedings of the Council's 17th General Assembly. ICSU's keen awareness of the global responsibilities of scientists has, of course, been noteworthy in recent years, and in this respect the Council deserves its high moral reputation. Behind the bewildering array of acronyms that identify the various scientific bodies working under the auspices of ICSU, there is much significant research underway. As a non-governmental organization, ICSU groups together 18 Scientific Unions and some 70 National Members, and holds as its main objective the sponsorship and support of inter-disciplinary research through various major projects and programs. Some of these, such as the Geodynamics Project between IUGS and IUGG, have been highly successful.

From a geologist's point of view, several new ICSU ventures are attractive. One of the most interesting and timely ones concerns the scientific aspects of nuclear waste disposal. The committee which is to implement this project is headed by our former president, J.M. Harrison of Canada. It is evident that geology has very much to contribute here and that it will be necessary to survey the differing geological environments which have been considered (continental crust, such as salt, and deep sea sediments).

A project on energy, still in its preparatory phase, is also of significant interest to our science. Here different "geological" energy sources (such as hydrocarbons, coal, nuclear raw materials and geothermal energy) must be studied. The decline of hydrocarbon reserves will forcibly trigger the development of alternative energy sources.

Interesting but informal discussions were held as well on the opportunity of launching international studies devoted to the Global Carbon Cycle as it relates to climate and biological productivity. Geologists, especially carbonate geochemists, will be called upon to assess the importance of the carbonate sink and its reactions to the increase of CO₂ in the atmosphere since the onset of the industrial revolution.

A major new effort is the World Climate Research Program, a pilot enterprise for ICSU. This has developed out of the Global Atmosphere Program (GARP) but is now redesigned as a joint program under ICSU and the World Meteorological Organization (WMO), which is an inter-governmental body. Cooperation between non-governmental and inter-governmental organizations poses its own problems but, as the example of IGCP shows, it can be much to the benefit of a scientific program. The fascinating presentation made in Athens on the challenges of modern research on climate made us realize the tremendous progress made in this field. As the past is often the key to the future, geologists, and especially paleoclimatologists familiar with the continental and marine record, will be glad to participate in this project.

Confronted with these ambitious and well documented projects, one was still left wondering at the end of the Assembly, whether ICSU would be capable of pursuing all of them or whether a certain dissipation of effort is inevitable. Increased cooperation with inter-governmental organizations, which are perhaps better equipped insofar as worldly matters are concerned, is one answer. This may, however, force ICSU to become essentially an advisory body.

Another decision taken at Athens was particularly disquieting to IUGS. It concerns the distribution of the sizeable UNESCO subvention. Hitherto, this has been

allocated to the Unions according to a scale determined by their size and tasks (the former distinction between "general" and "specialized" Unions had been dropped). The General Assembly decided that about half of the total UNESCO subvention be set aside for the Commissions and Committees and for the Unions' special projects, a reasonable decision in the light of the many new tasks outlined above. The remainder is to be divided equally among the Scientific Unions. Delegates from some of the larger Unions, especially IUPAC, IUGG and IUGS, raised strong objections to this second proposal, but were heavily outvoted by the majority of small Unions who stood to profit from the new regulation.

To IUGS, this means an annual loss of income, starting from 1980 on, in the order of \$6,000, which is a heavy blow to our already critical financial situation. IUGS has important tasks ahead, many of which have been outlined on the pages of EPISODES over the past year. It also has a large number of small developing countries among its members and, partly for this reason, its membership fees are among the lowest of the Unions. One wonders if, in the long run, the regrettable decision taken at Athens may prove detrimental to ICSU itself, for it can only be as strong as its member Unions.

Other items on the agenda of the General Assembly which might be of interest to geoscientists included:

- the U.N. Conference on Science and Technology for Development (UNCSTD): in January 1979, ICSU will organize a symposium in Singapore (jointly with other non-governmental organizations) to develop an appropriate contribution to UNCSTD;
- the important but necessarily discreet work pursued by the Committee for the Free Circulation of Scientists and the newly-established Committee on the Safeguard of the Pursuit of Science. Even if these committees can provide help in only a few cases, their existence has a notably moderating influence;
- relations with scientists in the People's Republic of China: it was agreed to "explore the possibilities of facilitating and initiating discussions between Chinese scientists on the mainland and on Taiwan". IUGS has had an encouraging beginning in cooperative work with the geologists from the People's Republic. (It was alleged that geologists from Taiwan had been excluded from participation in IUGS-sponsored symposia, but no case of this has hitherto been brought to our knowledge.)

ICSU's General Assemblies are always very impressive, for the delegates are generally people who not only possess a good knowledge of the intricacies of national and international scientific politics, but are also outstanding scientists. This is further amplified by the pleasure one has in learning about some of the most exciting developments in other sciences. Both the 17th General Assembly and the 10th Meeting of the General Committee of ICSU (which took place September 28-29 in Athens) were organized perfectly by the Acadimia Athinon and the very efficient staff of the Council, commendably presided over by **Professor F.B. Straub** of Hungary.

For the next two years, **Professor C. de Jager** of the Netherlands will serve as President, assisted by **Professor D.A. Bekoe** (Ghana), Vice-President, **Sir John Kendrew** (U.K.), Secretary-General, **Professor T.F. Malone** (U.S.A.), Treasurer, and **Professor F.B. Straub** as Past-President.

R. Trümpy
President, IUGS

BAUXITE CONGRESS EMPHASIZES ALUMINUM RAW MATERIALS

ICSoba: 4th International Congress

Athens, October 9-12, 1978

With topics devoted primarily to bauxite and other aluminum raw materials which play an essential role both in the world of technology and in international economy, the 4th International Congress for the Study of Bauxites, Alumina and Aluminum drew some 500 delegates to Athens from a total of 37 countries. Sponsored by the International Committee for the Study of Bauxites, Alumina and Aluminum (ICSoba), and the Greek Ministry of Culture and Sciences along with the National Technical University of Athens, the Congress concentrated on

- geology-mineralogy
- ore deposits and exploration
- open pit and underground exploitation
- treatment and ore-dressing
- bauxite: technology and uses
- alumina: developments in BAYER process and technology
- other methods of Alumina production
- activated alumina: preparation, structure and properties, and
- developments in aluminum processing and technology.

About 100 papers have been included in the published preprints, which are in three volumes (two on bauxites and one on aluminum), and are available from:

Prof. S.S. Augustithis,
Department of Mineralogy, Petrography and Geology,
National Technical University of Athens,
Patisson St. 42, ATHENS, Greece

Many papers dealt with the geological setting of bauxite deposits in different regions of the world. Papers which may be of special interest to geoscientists include:

- The Public Role of Superficial Raw Materials and their Implications to the Human Society (G. Luttig)
- Genetic Classification of Bauxite Deposits of the World (V.A. Tenyakov)
- Economic Evaluation of World Bauxite Resources (J. Lötze)
- Mining and Mineralogical Problems Related to the Exploitation of Raw Materials Substitutive of Bauxite (P. Massacci).

To counterbalance this year's focus on aluminum raw materials, ICSoba will be sponsoring a number of symposia during 1979 devoted to alumina and aluminum: the Symposium on New Processes in Aluminum Production at Cagliari, Sardinia has been set for September 26-28; similar ones are being planned for Norway and Hungary.

ICSoba, an international society created in 1963, promotes the exchange of ideas amongst scientists from a number of disciplines — mineralogy, geology, geochemistry, physical and analytical chemistry, mining technology and engineering. The new ICSoba Council members, elected at the Athens Congress, are as follows:

President:	Prof. S.S. Augustithis (Greece)
Vice-Presidents:	Dr. Gy. Bardossy (Hungary)
	Prof. Dr. H. Holtan (Norway)
	Dr. E. Mack (Greece)
	Prof. Dr. J. Nicolas (France)
	Dr. G. de Weisse (Switzerland)
	Dr. J.L. White (U.S.A.)
General Secretary:	Prof. Dr. O. Lahodny (Yugoslavia)

S.S. Augustithis
President, ICSoba

ICSoba Council members, left to right: Prof. Dr. O. Lahodny, the General Secretary, Prof. J. Nicolas, past President, and Prof. S.S. Augustithis, current President.

"TORONTO '78" — AN IMPRESSIVE GEOLOGICAL RALLY

This year's annual meeting of the Geological Society of America (GSA) held in Toronto, Canada, October 23-26, featured a particularly impressive array of talent and expertise and was unique in that it was organized jointly with the Geological and Mineralogical Associations of Canada. Many of the 1,100 or so papers and some of the 29 symposia emphasized Canadian geology, as, for example:

- the GAC-sponsored "The Superior Traverse Project — integrated studies of Archean crust in the Western Superior Province of the Canadian Shield" (organized by Dr. A.M. Goodwin);
- the Robinson Symposium on "Precambrian sulphide deposits", also sponsored by the GAC and organized by Dr. P.M. Kavanagh (Chairman of "Toronto '78"); and
- the CGC-sponsored symposium "Disposal of high-level radioactive waste: the Canadian Geoscience Programme" (organized by Dr. C.R. Barnes and chaired by Dr. H.R. Wynne-Edwards).

The latter symposium attracted much attention, both at the meeting and in the press. Divided into several parts —

the programs of the various government agencies, a review of the technical problems and assessments of risk by experts in hydrogeology, engineering geology, geochemistry and geophysics, as well as a lively panel discussion which encouraged audience participation — the symposium concluded that one of the biggest problems in the nuclear debate was a lack of communication and trust. Government agencies (or large

Dr. Paul M. Kavanagh, General Chairman of "Toronto '78"

CONFERENCE REPORTS (continued)

companies that are involved) have difficulty convincing individual scientists that impartial action is being taken on the basis of the best information that is available.

The general role of geology in society was another dominant theme in the meeting. For example, Dr. N.W. Rutter's symposium (organized by GSA's Committee on Environment and Public Policy) dealt with "Geological information — problems in transfer from scientist to policy maker". In one of his concluding remarks during the presidential address, Prof. Peter T. Flawn (outgoing President of GSA) stressed that "if the post-industrial society is to come safely through the next quarter of a century, it must

make massive investments in research and development and it must husband and cherish its capital resources. It will have to conceive and adhere to a long-range plan for rational technological transition".

Two IGCP Projects were represented at the meeting — a symposium organized by the U.S. Working Group for Project 96 (Messinian Correlation) and an on-line demonstration by Dr. Felix Chayes on the current status of his file (which is part of Project 163 for establishing a retrospective data base for igneous petrology). Substantial interest was shown in the IUGS exhibit, which was conveniently located next to that of the 26th International Geological Congress.

Outgoing GSA President, Peter T. Flawn (left) and incoming President Leon T. Silver (right) in front of the IUGS exhibit.

Paul Sangnier, Secretary General of the 26th IGC and assistant Brigitte Lepeltier (left) answer questions at "Toronto '78".

FOCUS ON SOUTHEAST ASIA: III GEOSEA

November 14-18, 1978

Regional geology, paleontology, tectonics, mineral and energy resources, geothermal problems in Southeast Asia — these were the major topics discussed at the Third Regional Conference on Geology and Mineral Resources of Southeast Asia (III GEOSEA) held in Bangkok, Thailand and attended by over 500 people from about 20 countries. The technical sessions were held at the modern and attractively landscaped campus of the Asian Institute of Technology, while Pattaya, 160 km southeast of Bangkok, was the site of the Conference for the last three days. Numerous meetings of interest to IUGS took place during and preceding the Conference and are briefly summarized below. Most papers presented at III GEOSEA appear in a monumental volume edited by Prinya Nutalaya entitled "Geology and Mineral Resources of Southeast Asia", or in the Journal of the Geological Society of Thailand (Special Issue: Vol. 3, No. 1, November, 1978), copies of which may be obtained from:

Division of Geotechnical and Transportation Engineering,
Asian Institute of Technology,
P.O. Box 2754, Bangkok, Thailand

or

Geological Society of Thailand,
Department of Mineral Resources,
Rama VI Road, Bangkok 4, Thailand

A few points brought up during discussions on regional geology should be highlighted:

- the Mae Nam Nan ophiolite suite in eastern Thailand has been interpreted as marking the suture (between the Shan-Thai craton to the west and 'Indosinian' to the east) which resulted from west-dipping subduction, thought to have been active from Permian to Late Triassic. Preliminary paleomagnetic data are also consistent with the suturing of Southeast Asia to south China in the Mesozoic, with subsequent sinistral strike-slip displacement along the Red River fault;

- in economic geology, there were major compilations (published in the proceedings) on the mineral deposits and resources of Burma, Thailand, Kampuchea, Laos, Vietnam, and Malaysia; some contained comprehensive lists of deposits and references;
- an explanation was offered for the tektites found in Southeast Asia and Australia which are now thought to have resulted from splatter of earth materials following a major meteorite impact in the Mekong River delta.

Regional Network for Geosciences in Southeast Asia

Established at a meeting in Seoul, Korea in October 1977, the Coordinating Board for the Network held its second meeting from 10-14 November, 1978 in Bangkok, immediately preceding III GEOSEA.

The aim of this meeting was to define more clearly the

At the opening ceremonies of III GEOSEA, left to right: R.B. Banks (President, Asian Institute of Technology), W. Wiriawit (Under Secretary of State, Ministry of Industry, Thailand), P. Sudasna (Director General, Department of Mineral Resources, Thailand) and C. Piancharoen (Chairman of III GEOSEA). (Photo courtesy AIT Public Relations)

CONFERENCE REPORTS (continued)

role and functions of the Network and to outline a specific program of activities for the next two years. The Network itself is part of a broader program of Regional Cooperation in Basic Sciences in Southeast Asia, supported by UNESCO and a number of other organizations, and is similar to networks which have been established in microbiology, chemistry and mathematics. The programs of the various networks emphasize the inter-related importance of the advancement of science within the development context and the application of science to development problems. The field of geosciences is making a significant contribution to development in Southeast Asia, and is therefore an appropriate area for the promotion of regional cooperation.

In discussing the need for such a network, due attention was given to the fact that there already exist a number of programs involving regional cooperation in geosciences. Members of the Coordinating Board, who are mostly from universities in participating countries, noted that while these programs deal with very specific areas (such as offshore prospecting, mineral development and seismology), there are many gaps in the coverage of the geosciences; also, existing programs mainly called on personnel from government surveys and institutes, so that academic scientists were only marginally involved. It was agreed that the Network would provide a forum within which all groups could interact.

Activities planned within the Network for 1979-80 include training workshops in coastal geomorphology, fission track dating, porphyry copper deposits and urban geology. Beyond this, efforts will be made to organize cooperative workshops or seminars with other programs in such areas as seismology (with the UNESCO/UNDP seismology project), and others. Another interesting area of activity is the "exchange of scientists" program under which young geoscientists are supported while spending 1-3 months at institutions in neighbouring countries carrying out specified cooperative research.

The Regional Network in Geosciences is not as yet a strong body, but it has generated good support and interest within the participating countries and has received important external support from a number of sources, including AGID and UNESCO, as a prospective valuable and useful mechanism for exchange.

J.M. McDivitt, UNESCO

Left to right: Dr. Kim Bong-Kyun (Korea) and Dr. J.F. McDivitt (UNESCO), meeting co-organizers for the Regional Network for Geosciences in Southeast Asia.

COGEODATA Educational Seminar

The collection, management and interpretation of geological and mineral resource data – this constituted the main theme of the COGEODATA Educational Seminar held on November 13. COGEODATA chairman R. Sinding-Larsen outlined the Committee's organizational structure and stressed the role of its various working groups on selection and capture of geological data, data structure and data management, data display, application of remotely sensed data, world index of geological data sources, and educational activities. The structure, practical applications and graphical display capabilities of a computer-based geological

field data system, as developed and used by the two geological surveys in Hannover, Federal Republic of Germany, were demonstrated by the COGEODATA secretary, G. Gabert, followed by a case history of computer-assisted geochemical prospecting in a developing country. Both presentations emphasized the information content and use of geoscientific data, its storage, retrieval and interpretation.

Since the interpretation of data is of utmost importance when geological decisions are made, a new method, appropriately named "geological decision modelling", was presented by the COGEODATA chairman. It involves the integration of geological, geochemical, geophysical and remotely sensed data, thus providing a basis for the selection of target areas for mineral exploration.

The second part of the seminar was devoted to a review of IGCP Project 98 "Standards for Computer Applications in Resource Studies". An introduction to the project by A. Clark and S. Cargill was followed by their presentations of the methodologies, pilot programs and projects for resource assessment which clearly reflected the objectives and achievements of Project 98:

- standardization of data requirements for resource assessments
- development of guidelines for resource assessments and mineral/energy inventories
- evaluation and classification of resource assessment methods
- establishment of methods through pilot programs, and
- practical application of standards and methods in pilot projects.

The 30 participants, mostly from developing countries of Southeast Asia, regarded the seminar as highly educational and successful in terms of transfer of scientific and technological expertise.

G. Gabert, COGEODATA

COGEODATA Workshop led by R. Sinding-Larsen (Norway).

IUGS-AGID Seminar

Included as an integral part of the Regional Network for Geosciences in Southeast Asia, the IUGS-AGID Seminar on international cooperation in geoscience included brief presentations on the current activities of: IUGS (W.W. Hutchison), COGEODATA-IUGS (R. Sinding-Larsen), IGCP (E. von Braun), Regional Network for Geosciences (J. McDivitt), COSTED (S. Balakrishna) and AGID (D.E. Ajakaiye).

A lively discussion followed M. Katz' paper (for AGID) on the irrelevance of most international earth science programs to the needs of the 'barefoot' geologists working in rural areas of developing countries. Seminar participants (which included some 30 geologists from 16 countries) debated topics such as the need to either establish an institute for mineral research in tropical rain forests, or to strengthen an existing one. The majority favoured the latter alternative.