BOOK REVIEWS

SYNGENESIS AND EPIGENESIS IN THE FORMATION OF MINERAL DEPOSITS

A. Wauschkuhn, C. Kluth and R. Zimmermann (eds.)
Springer-Verlag, New York, 1985, 680p., \$61.50 (US).

Papers in this book are dedicated to Prof. G. Christian Amstutz, University of Heidelberg, on the occasion of his 60th birthday. The volume contains 53 papers written by 88 authors from 26 countries. In the preface, the editors state that the theme of the papers was restricted to "epigenesis and syngenesis in the formation of mineral deposits" and that the authors are all colleagues, friends, and students of Prof. Amstutz.

Sensing that the comprehensive nature of the book might cause problems for readers trying to find papers of particular interest to them, the editors divided the contents into four parts. The first, on general observations on syngenesis and epigenesis, is subdivided into sections on textures of ore minerals and their genetic significance, papers of a regional character, and geochemical investigations and their genetic significance. The second part groups, under the heading "Ores Associated with Clastic Sediments and their Genetic Origin," papers on ores in shales, sandstones and conglomerates. Descriptions of ores associated with carbonate rocks and their genetic origin make up the book's third part, which brings together papers on geochemical investigations and their genetic significance, and on carbonate rocks bearing Pb-Zn and Sb-Hg-W assemblages. The final part deals with deposits associated directly with magmatic activity. Subdivisions here are ores associated with intrusive magmatic activity, those associated with extrusive magmatic activity, and contributions of a regional character.

After reading this book, the major impression left with this reader was the breadth and scope of the current interests of Amstutz's acquaintances. In spite of the editors' contention, the subject matter of this book is not restricted to "epigenesis and syngenesis," for individual papers address everything from ore textures and isotopes to deposit descriptions and regional metallogeny of nearly entire countries. Subjects range from manganese oxides in the supergene weathering zone to podiform chromite deposits. The resulting book is, therefore, a veritable smorgasbord of topics with little in common. The editors have made no attempt to summarize the conclusions of the collective papers; neither would this have been possible in view of the mix of topics presented. Some readers may find delight in the heterogeneous nature of the book's contents; others, I suspect, will be turned away for the same reason.

A publisher's note on the outside back cover suggests the book might be of "practical value in the planning of mineral exploration projects." This reviewer is completely mystified as to how this could be, except that the book does contain a few overviews of mineral deposits in some regions, which might serve as a first source for someone contemplating exploration there. Similarly, although no paper in the book is

sufficiently detailed to be considered an authoritative description of any individual deposit, most supply good, up-to-date references for the reader to follow-up.

The overall usefulness of the book would definitely have been improved by tighter editing of the Table of Contents and the Subject Index. In the former the editors "hope that none of the authors will disagree drastically with our classification," implying that grouping of papers was done after the papers were received rather than asking authors to contribute under given headings. The procedure has resulted in some misleading classifications.

Listed under "Pb-Zn-bearing carbonate rocks," for example, one finds a paper on the Largentière mine, one of Europe's classical sandstone-hosted lead-zinc deposits! Another paper in the same group purports to discuss the metallogenic aspects of a district in central Peru whereas, in actuality, it is a discussion of lead isotopes of the region. The Subject Index, also, could have benefitted from a little more control. If the book is, indeed, aimed in part at the mineral industry, then individual mines and deposits should have been listed with their own names as the primary heading, in addition to secondary headings under either country or commodity.

The book is printed on high quality semi-gloss paper, with the result that all photos and photomicrographs reproduced very well, some exceptionally so. Line drawings and maps are, for the most part, very well done and are clear, easy to read and show what they are intended to show. A glaring exception is Figure 2 in the paper by Klemm and Neumann, which contains far too much detail and should have been severely edited; interestingly, the caption for this figure begins "Simplified stratigraphy of . . .".

In summary, once it is realized that this book is not meant to be the latest word on any specific subject, it could become a useful reference manual to economic geologists who learn how to seek out a topic of their choice.

D.F. Sangster
Ottawa, Canada

ARCAEAN GEOCHEMISTRY: The Origin and Evolution of the Archaean Continental Crust

A. Kröner, G.N. Hanson and A.M. Goodwin (eds.)

Springer-Verlag, Berlin, Heidelberg, New York, Tokyo, 1984, 286 p., \$30.50 (US).

IGCP Project 92, "Archaean Geochemistry," probably ranks as one of the more successful IGCP projects of the last decade. Two factors contributed to this success. The first was that the project was initiated close on the heels of the successful lunar missions. The exciting results of these had inspired a great enthusiasm for understanding the earliest stages of planetary formation, for we then knew more about the early chemical evolution of the moon and terrestrial planets than we did about the Earth. The second was that advancing instrument technology had begun to provide the high precision isotope and trace element data necessary to decipher the age relationships and petrogenesis of ancient Precambrian rocks. Clearly there was much to do, with many willing hands keen to devote their new 'black boxes' to producing data which might provide the answers.

Book Reviews

Credit for the proposal to set up Project 92 rests with Andrew Glikson (Australia), whose inspired models for early crustal development generated either marked positive or negative reactions worldwide, but served to set the pace. The Project was capably managed by Alan Goodwin (Canada) and Gil Hanson (U.S.A.). A series of volumes on the Archaean have arisen from international meetings sponsored by Project 92, from the first meeting in Leicester, U.K., in 1974 to the penultimate one in Salvador, Brazil, in 1982. The present book marks the culmination and end of the Project.

The thirteen chapters provide something for everyone, although it is inevitable in a review volume that a fair proportion of the data and ideas have been published elsewhere. Two papers deal with the composition of the primitive Earth mantle, a prime consideration for any discussion of Archaean geochemistry, and chemical evolution of the Earth. H. Wäncke and others (Germany) provide an estimate for the primordial mantle based on cosmochemical data and models for the accretion history of the earth, together with data on lherzolite nodules. To explain the data, they propose that 85-90% of the Earth accreted from reduced, refractory, volatile-free chondritic components that were then supplemented, after core formation, by accretion of more oxidized, volatile-rich material. These arguments are considerably extended by S-S. Sun (Australia) against a background of extensive geochemical data on Archaean basalts and komatiites: he also makes a careful appraisal of the evidence for heterogeneity in the Archaean mantle. Although many uncertainties remain, there has been encouraging progress in defining the element abundances and ratios in the primitive mantle. The compositions of Archaean sedimentary rocks are reviewed by S.M. McLennan and S.R. Taylor (Australia) and interpreted in terms of the composition of the Archaean upper crust, possible tectonic environments, and implied crustal growth models. It is encouraging to note that they no longer consider their andesitic model for crustal growth as being applicable to the Archaean.

Three chapters deal with low-grade granite-greenstone terrains. D.I. Groves and W.D. Blatt (Australia) provide a very useful survey of the mineralization in the greenstone belts of Western Australia, and they propose some interesting interpretations for the spatial and temporal variations in mineralization in terms of extensional models for greenstone belt development. The petrogenesis of komatiitic lavas is a continuing subject of debate. N.T. Arndt (Germany) and R.W. Nesbitt (U.K.) make a detailed reassessment of the well-known Munro Township lavas (Canada) and come down in favour of magma mixing to explain differences between and variations within the different flow units. However, possible effects of contamination due to thermal erosion by high temperature komatiitic flows are not considered. No book on the Archaean would be complete without a Barberton contribution. H.S. Smith and others (South Africa) fill this slot with a detailed oxygen isotope and geochemical study of the alteration of Barberton pillow lavas, concluding that the data is compatible with seawater alteration.

Mafic and ultramafic rocks also occur in high-grade terrains and a study of the stratiform complexes within the Sagur supracrustals of the transitional high-grade zone of South India, by Srikantappa and others (Germany), favours an intracrustal rather than an oceanic origin. E.C. Hanse and his U.S. colleagues then summarize their PT and fluid inclusion investigations of this transitional terrain and conclude that there is an unbroken southward transition to deeper crustal granulites in South India, and that CO₂ fluid streaming was the main agent responsible for the Rb depletion in the granulites. K.C. Condie and P. Allen (U.S.A.) discuss the petrogenesis of Indian charnockites and B-M. Jahn and Z-Q. Zhang (France/China) the NE China granulites. Both conclude that

intracrustal melting is not the main agent responsible for the Rb depletion in granulites, and they invoke models essentially similar to those proposed earlier for Lewisian granulites to explain their petrogenesis.

Two Russian papers follow, largely summarizing U-Pb zircon dating studies of the Archaean cratons of the Soviet Union and providing evidence of possible 3.4 Ga rocks in the Omolon and Aldan shields. Appropriately, the final chapter of the volume is supplied by Andrew Glikson, who tackles the old problem of the origin of mafic/ultramafic xenoliths in the granite gneisses of greenstone belt terrains. He concludes that most are greenstone relics and constructs crustal models to illustrate his concepts.

Geochemistry has undoubtedly played a major role in helping decipher the Archaean. The similar geochemical patterns that appear in various greenstone belts can now be matched by apparently equally consistent (but different) geochemical patterns as high grade terrains are progressively investigated. Of course there are spatial and temporal differences, but it is not certain that further detailed studies of greenstone belts or high grade terrains will necessarily result in significantly improved models, or in explanations of how Archaean crustal processes relate to Phanerozoic crustal generation. Perhaps the answers lie in the Proterozoic and in comparing crust generating processes through time. To this end it is encouraging that a new IGCP Project 217, "Proterozoic Geochemistry," is underway, and that the Lithosphere Program has restructured its Working Groups to focus on this problem.

J. Tarney
Leicester, U.K.

PATTERN RECOGNITION PROBLEMS IN GEOLOGY AND PALEONTOLOGY

Ulf Bayer

Lecture Notes in Earth Sciences, vol. 2, Springer-Verlag, Berlin, Heidelberg, New York, Tokyo, 1985, 229p., \$19.50 (US).

The first three chapters of this volume serve as the final report for a project on quantitative methods in paleoecology conducted by the author at Tübingen University since 1977. Topics treated include sedimentation rate as a function of time-scale, compaction of sediments, and allometric relationships between measurements performed on fossils. Bayer also deals with the analysis of directional data, reconstructing smooth surfaces from spatially dispersed data, sampling of lithostratigraphic sections, use of cluster analysis to construct assemblages of foraminifera, and the geometry of ammonite suture lines. The final chapter contains new ideas on the analysis of seismic records, deals with problems related to the recognition of three-dimensional objects from pictures, and analyzes the geometry of similar and parallel folds.

Most geological problems are inherently geometrical or morphological and, as the author states in his introduction, this allows pattern recognition from a "Gestalt" point of view. We are then looking for the intrinsic characteristics of a pattern that are reproducible. The second theme that recurs throughout the book concerns "catastrophe theory" which can be useful to explain unexpected jumps in Nature. Bayer

Book Reviews

provides an extensive mathematical background on topological approaches to pattern recognition, including the use of pattern generators such as the Honda tree and Mandelbrot's fractal geometry. The reader is also introduced to folds, cusps, swallowtails and other concepts from catastrophe theory advanced by René Thom and his colleagues in the 1970s.

Although this is a refreshing volume filled with interesting new ideas, there are a number of drawbacks. The author states on page 2, that in geology and paleontology, statistical and approximation methods are generally used as strategies of pattern recognition. "Routine mathematical methods" dominate in these fields. According to Bayer, the computer is used without regard to *a priori* scientific meaning and without the formulation of scientific hypotheses. In the course of the Tübingen project, many routine computer programs were implemented and run on data sets without much success, and some programs became unstable if certain initial conditions were not met. Examples of these failures, which are used to justify the development of a new approach, constitute the weakest part of the book.

Although the programs failed, other routine algorithms would have provided better results. In an attempt to contour noisy geochemical data, the author discovered that existing contouring programs produced "catastrophic" contour maps (e.g. in Fig. 2.33 on p. 52) because of irregular spacing of relatively few data points. He did not attempt to use any of the numerous other techniques such as trend surface analysis or "Kriging" in which the variable to be contoured is assumed to be a random variable.

Another example of relatively poor understanding of statistical reasoning is found in Section 3-2, dealing with chisquared testing of the hypothesis of randomness of directional data. Here an erroneous statistical argument is developed to demonstrate that the test is generally incorrect. Under the assumption of a uniform distribution, the expected frequencies in a rose diagram with sectors of constant width are all equal to the same constant. This simplifies the equations as shown on pages 82-84. Except for minor slips consisting of a missing bracket in (3.20) and the omission of a summation sign just before (3.22), this derivation is error-free. However, the equation for a uniform distribution is then applied to one that is nonuniform, with a pronounced peak in which the expected frequencies for sectors of equal width are not equal to a constant. A new set of expected frequencies should have been entered into the chisquared test at this point.

The publisher explains on the back cover that the new series - "Lecture Notes in the Earth Sciences" aims to report new developments in research and teaching - quickly, informally and at high level. The timeliness of a manuscript is considered to be more important than its form which may be unfinished or tentative. It is also stated that Lecture Notes may be published later in full book form. As it stands, this monograph is not self-contained as a comprehensive book should be. Many sections begin with 30 to 100 word quotations from publications by other authors. These quotations frequently contain expressions which are left unexplained, and cannot be fully understood without consultation of the original sources.

How many readers, for example, are familiar with "a conventional Krylov-Bogoliubov averaging technique" (p. 142)? This lack of explanation becomes confusing if there are errors in transcription or if they are carried over from the original sources. On page 19, the author quotes G.E.G. Westermann who formulated "Buchman's law of covariation." However, Ulf Bayer writes "covariance" instead of "covariation" thus obscuring the original meaning of this law. A

quotation on page 114 is about "censes." Only by consulting the original source does it become clear from the context that the subject is censuses (plural form of census). Other spelling mistakes in the book are less confusing (e.g. "excursus" for excursion) but should be corrected if the material is to be republished in full book form.

This is an interesting and useful volume for geologists and paleontologists because it introduces many new subjects not usually covered in geomathematical textbooks. However, the statistical arguments in this monograph tend to be erroneous and should be read with caution.

F.P. Agterberg
Ottawa, Canada

PRECAMBRIAN OF SOUTH INDIA

S.M. Naqvi and J.J.W. Rogers (eds.)

Geological Society of India, Bangalore, 1983, 566p, price not available.

Most of the pioneering work on the Precambrian of the Indian Shield was done by stalwarts like F. Smeeth, L. Fermor, B. Foote, Sampat Iyengar, B. Jayaram and B. Rama Rao in the early decades of this century. Their studies on the geology of what is now known as the Dharwar craton, most of which lies in Karnataka state (formerly Mysore), have been ably continued by succeeding generations of South Indian geologists. Some results of their work can be seen in this publication, which contains 32 of the 52 papers presented at a workshop in Hyderabad in January 1982, as the culmination of a 5-year research project involving the National Geophysical Research Institute (NGRI) and several U.S. universities.

If the term 'South India' refers to the peninsular portion of the subcontinent, viz. south from lat. 22°N, then the papers in this volume apply to only one-third of 'South India', and specifically to the upper half of the Dharwar craton. Little or no reference is made to the Precambrian of the vast area of high-grade rocks included in the Eastern Ghats and Tamil Nadu, and in that sense the title is somewhat misleading and the contents disappointing to this reviewer.

One of the best contributions in the collection is the opening review on 'Archaean granite-greenstone terrain of the South Indian Shield' by B.P. Radhakrishna. It is an admirable summary of what was known in 1982 of the extent, lithology, stratigraphy, structure and metamorphism, geophysics, geochemistry, paleobiology, mineralization and evolution of the four provinces that make up the Dharwar craton.

Radhakrishna sets the tone for the whole volume by emphasizing the greenstone belts, the subject of more than half of the book. It seems that these belts and the problems associated with them, such as their stratigraphic relationships, are the primary concern of geologists working in and on the craton.

Briefly, two groups of greenstone belts can be recognized in the craton - an older group e.g. the Sagur schist belt, consisting mainly of mafic-ultramafic metavolcanics and chemogenic sediments, and a younger group, such as Bababudan, characterized by shallow-water sediments, conglomerates, greywackes, cherts, limestone and basaltic volcanics. Most of the papers in this section of the book deal either with the geochemistry of the sediments, or with the evolution and stratigraphic inter-relationships of the two groups.

Book Reviews

On the one hand is the modern view that there is a pre-Dharwar 'Sagur Group', separated by an unconformity from the later Dharwar Supergroup (M. Ramakrishnan and M.N. Viswanatha); on the other, is the older, conventional view of the doyen of Indian geologists, C.S. Pichamuthu and his co-worker R. Srinivasan, that all the schistose sequences in the craton are units of a single Dharwar Group. This is not yet resolved and continues to be a major problem of South Indian geology. Several schist belts are described in detail by S.H. Jafri, B.L. Narayana and their colleagues, V.N. Vasudev, and A.G. Menon and others deal with sulphide mineralization in the craton.

A welcome exception to the preponderance of papers on geochemistry in this section is the structural study by D. Mukhopadhyay and D. Ghosh. They demonstrate that at least one greenstone belt, the Chitradurga schist belt, had a complex deformational history, contrary to the somewhat simplistic view held previously.

Although gneisses occupy about three-fourths of the Dharwar craton, the section on granites and gneisses contains only seven papers, four of which deal with the Hassan district. S.M. Naqvi and others attempt to divide the 3,400–2,900 Ma-old gneisses into four groups on the basis of their chemical and mineralogical characteristics. J.R. Monrad also finds four groups of gneisses in the Hassan district, but they are mainly trondhjemitic, and there is little correlation between the groups defined in the two studies. An important conclusion from these studies is that the term 'Peninsular Gneiss', so long used as an umbrella for the great variety of gneisses found in the basement of South India, is no longer justified. R. Dhana Raju finds that the granites associated with greenstone belts are I-type, whereas the noncharnockitoid granites associated with the granulite belts are mostly S-type.

Four papers deal with the granulites that occur in a transitional zone along the southern margin of the craton. A.S. Janardhan and others add to the growing literature on 'charnockitization', said to be brought about by heat and CO₂. They provide some data on 'charnockites' from highland areas like the Nilgiri Hills, which are proper granulite facies terrain. However, the authors conclude that "we have no evidence that there is not a virtual continuum of temperature, pressure, CO₂ activity and LIL depletion" between the incipient 'charnockites' of the (amphibolite facies) lowlands and the well developed ones of the (granulite facies) highlands or 'massifs'. This reviewer cannot accept such a double negative proposition, nor does he consider the distinction into lowland and highland charnockites valid.

A useful paper by M. Raith and others uses geothermobarometry on co-existing garnet, pyroxene and plagioclase to determine the PT conditions of granulite facies metamorphism in charnockitic rocks from the northern part of the craton. Core compositions of the minerals indicate that at peak conditions of metamorphism, temperatures were 700–800°C and pressures 6.6–9.5 kilobars.

The concluding section of the volume has three papers on geophysics. R.B. Hargraves and M.S. Bhalla review data then available on Precambrian paleomagnetism in India. S.M. McCarthy and others attempt to construct crustal models of southern peninsular India using earthquakes recorded by the Gauribidanur seismic array, and C. Subrahmanyam divides the Eastern Ghats granulite belt into two sub-belts on the basis of gravity anomalies.

This collection of papers is a valuable addition to our knowledge of the Precambrian rocks of the Dharwar craton, and the Geological Society of India is to be congratulated on its publication. The printing is good throughout, with few errors,

though the review copy was missing several pages while others were duplicated. Most of the figures are reasonably clear, but some of the maps are rather illegible. The volume would have been further enhanced had there been an accompanying large-scale geological map of the Dharwar craton.

It is surprising – and disappointing – to find that Indian geologists and their foreign co-workers are continuing to use a terminology for charnockitic rocks that has been superseded by the recommendations of the IUGS Subcommission on Igneous Rocks Nomenclature. Those working on these rocks should know by now that the term 'charnockite' should be restricted to an igneous or igneous-looking hypersthene granite, of which there are many in the shield areas of the world. Practically all the so-called charnockites mentioned in the volume are, strictly speaking, 'charnockitic gneisses', and it would be a major step forward if Indian geologists and their co-workers adopted the recommended system of nomenclature without further delay. We would then all know what we were talking about!

In his review article, B.P. Radhakrishna pointed out that there are major gaps in the study of the Precambrian of South India, for example in structure, sedimentology, metamorphism and geochronology. This imbalance is confirmed in the volume under review, there being a surfeit of geochemical studies. As Radhakrishna says "Too much importance has been given in recent years to geochemical studies, especially of plutonic rocks, to the neglect of sedimentary sequences, and widely differing models have been erected to define tectonic environments based on such studies." It is to be sincerely hoped that this imbalance will be rectified and the gaps filled when the next review of the Precambrian of South India takes place.

P.G. Cooray
Jeddah, Saudi Arabia

THE GREAT DEVONIAN CONTROVERSY. The Shaping of Scientific Knowledge Among Gentlemanly Specialists.

Martin J.S. Rudwick

University of Chicago Press, Chicago and London, 1985, 494p., \$39.95 (US).

The tale of the early friendship between Roderick Murchison and Adam Sedgwick; their setting up, respectively, of the Cambrian and the Silurian Systems; their bitter quarrel over boundaries, with Murchison striving to extend his system at the expense of Sedgwick's; the eventual compromise proposed by Charles Lapworth, with the interposition of an Ordovician System between Sedgwick's Cambrian and Murchison's Silurian – this is one of the great stories of geology, heard (and usually remembered) by students everywhere in courses on Palaeozoic stratigraphy (see article by Bassett, this issue – Ed.).

In contrast, the story of the origin of the Devonian System is usually passed over much more quickly, perhaps with the comment that it was a joint creation of Murchison and Sedgwick. This is a pity, for this tale also deserves to be told, as a second object lesson to show how personality and scientific politics, as well as scientific observation, have determined the great divisions of the geological column. Yet it is understandable that the story is not told, for it is a much more complex one, not to be summarized in a few sentences.

Book Reviews

A few years ago, Martin Rudwick published an able, short account of the creation of the Devonian, as prologue to a Palaeontological Association volume on that System (1979). In his title, he described it as "a system born from conflict." In this much more extended treatment, his earlier title is shown to be fully justified. The Devonian was forged in the heat of a battle of conflicting opinions among major figures in the Victorian geological "establishment." Indeed, it was ultimately the creation of the most memorable protagonist in that battle - Roderick Impey Murchison, whose egocentric personality demanded that all associates must immediately concur in whatever were his opinions of the moment and whose methods were such that a contemporary geologist has recently characterized him as "the Victorian Mafia".

Rudwick's work falls into three parts. His first chapter, "Scientific Research under a Historical Microscope," will prove disheartening to most readers. It is a ponderous self-justification of the approach adopted in the book, so awash with hard words as to prove stultifyingly difficult reading for all but the most learned philosophers of science. If included at all, this should have been as a preface, not as a first chapter. I fear that many students, after being thoroughly bored by fourteen dense pages, may quietly return this book to the library shelves.

If they do, it will be a great pity; for the thirteen chapters that follow - the heart of the book - make elegant and fascinating reading. Rudwick has delved deeply into original manuscript sources. He recounts, very often in the actual words of the protagonists themselves, how the original observations of Henry De La Beche and others gave rise progressively to a conflict in which the very principle of correlation of strata by fossils was being tested; even as late as 1835, this was by no means accepted by all geologists!

Chapter Two furnishes splendid background information on the state of geology in England around 1830 and forms a firm foundation for what follows. In this we learn that there was already an inner core of recognized experts, their forum the Geological Society but their intercourse quite as much by correspondence, and we see how the lightest opinions of persons in this golden circle outweighed even the most ponderous and profound studies by geologists outside it. We perceive how De La Beche, despite having in George Bellas Greenough a supporter within the circle, was fore-ordained by his inability to travel to London to lose out in any conflict of opinion; as indeed transpired. Most of all we see clearly how Murchison's singlemindedness, energy and lack of scruples, coupled as they were with a genuine scientific insight, ensured that he would attain all that he desired.

There are memorable sidelights also. Who remembers, nowadays, that William Buckland proposed the name "Culmiferous" for his system and that, at the time, it seemed a perfectly reasonable name to place alongside the Carboniferous? How many of us realize that, even before Darwin, the idea of some measure of evolution of animal species was perfectly respectable? And how amusing it is to find Murchison fulminating against the very idea of an official geological survey, when he was destined later not only to direct Her Majesty's Geological Survey but also to use it as his most effective means for furthering his ambitions!

This most intriguing story is brought to its strange conclusion with an account of the extension and testing worldwide of the concept of the Devonian System. It is followed, in two final chapters, by a lengthy analysis of the pattern of the controversy and the forces at work in it. This will be of greater interest to philosophers than to historians of science. Chapter 15 begins with an elaborate discussion of the courses of the conflict, in which the system of abbreviations is used so complexly as to leave many readers (myself included!)

thoroughly confused. There follows a very interesting examination of the social influence and competence of the protagonists, brought to a curiously bloodless summation in which Murchison's tactical advantages are properly stressed. Chapter 16 is more discursive, including comments on the malleability of such technical terms as "system" and on how the Devonian controversy had brought about significant changes in the basic concepts of stratigraphy.

In the three appendices, the subsequent careers of the principal protagonists are briefly detailed, the changing concepts of the Devonian are examined equally briefly, and comparisons of prices and incomes are made between the 1830s and today. A "Dramatis personae" prefaces the main text and a very thorough schedule of primary and secondary references is provided, (though, oddly, Rudwick omits his own 1979 paper on the Devonian).

This work will surely remain forever the standard reference on the Devonian System. However, it is an unduly massive tome and I would suggest that a future paperback edition, omitting Chapters 1, 15 and 16, might be more appealing, as well as less costly, to most readers. Certainly Martin Rudwick deserves congratulation for his fine and thorough scholarship.

W.A.S. Sarjeant
Saskatoon, Canada

INTERNATIONAL CONTRIBUTIONS TO HYDROGEOLOGY:

Volume 1 - **HYDROGEOLOGY OF KARSTIC TERRAINS: CASE HISTORIES.** A. Burger and L. Dubertret (eds.)

Volume 3 - **LIST OF TERMS OF HYDROGEOLOGY, GEOCHEMISTRY AND GEOTHERMALS OF MINERAL AND THERMAL WATERS.** H.R. Langguth (ed.)

Volume 4 - **HYDROGEOLOGY OF THE DINARIC KARST.** B.F. Mijatovic (ed.)

International Association of Hydrogeologists, Verlag Heinz Heise GmbH., Hannover. Vol. 1, 1984, 264p., \$40.00 (US); Vol. 3, 1984, 92p., \$45.00 (US); Vol. 4, 1984, 255p., \$45.00 (US).

These are the first three volumes to appear in a new IAH series being published by Heise. Volumes 1 and 4 are concerned with hydrogeology in karst soluble rock terrains. Volume 1, Hydrogeology of Karstic Terrains: Case Histories, was planned to complement an earlier short textbook by Burger and Dubertret (*Hydrogeology of Karstic Terrains*, IAH, Paris, 1975) but can equally well be used on its own. It contains no less than 64 different case studies, from field workers in eleven European countries plus Australia, New Zealand and the U.S.A. Regrettably, there are no contributions from the People's Republic of China, which has great practical experience in this area. This volume has been a long time in preparation and was designed before the current ease of contact with Chinese workers had come about; to an extent, absence of representative examples of their results renders the perspective of the book out of date.

Book Reviews

The contributions are in English or French and have been carefully edited by hydrogeologists native in those languages so that most are clear, unambiguous and easy to read. This is necessary because all contributions are short and compact. Indeed, a few are no more than abstracts that direct the reader to a particular published mathematical model, computer program, etc. Most, however, present succinct summaries, many with data tables that will be useful for teaching or comparative studies.

Volume 1 is in three sections, each beginning with a review essay that places its case studies in perspective. The first, on "Methods of Evaluating Karst Water Resources," presents examples of estimating local groundwater balance, forecasting safe yields and inflow to planned mines, field study by geophysical logging, downhole cameras, pulse train analysis, and lab work with probabilistic and deterministic models, finite element techniques and by electrical analogue.

Section two, on "Developing and Using the Waters of Karst Aquifers," begins with a well-focussed series of studies that cover development by gravitational drains, by conventional well fields and by shafts into known cavities. It emphasizes managed aquifer recharge, construction of dams to prevent undesirable recharge (loss) into aquifers, and physical barrier or management methods to prevent or reduce effects of salt water invasion of coastal aquifers.

The third section, "Environmental Problems," illustrates among other topics aquifer pollution in Ireland, Missouri and S. Australia, liquid waste disposal beneath Florida, mine pumping affecting the hotwater spas at Budapest, protection of mine works in the Urals and at Lake Baikal, motorway tunnel drainage problems in Italy, and subsidence from salt mining in Britain. To read this book is to understand the great variety of karst hydrogeologic problems recognized today and many of the different means that are being used to control or overcome them. It is a good reference for the theoretician and the teacher as well as for the field worker.

In Europe, scientific study of soluble rock terrains began in Yugoslavia: the term "karst" derives from that country. Volume 4 on the series, *Hydrogeology of the Dinaric Karst*, is a geographic and systematic review of the principal regions. Its 17 different authors include many of the most prominent karst geologists, geophysicists and engineering specialists practising in Yugoslavia. The first chapter is an appreciation of the contribution of Jovan Cvijic, "father" of modern karst studies. Reviews of the regional geology, hydrogeology and geomorphology follow. There is a particularly good assessment by the editor, B.F. Milatovic, of the poljes (very large, topographically closed depressions) that are an important part of the Yugoslav karst. He emphasizes the often complex, different genetic histories of different depressions. Other chapters deal with hydrogeological exploration, geophysical exploration and problems of sea water intrusion along the Dalmatian coast.

The text of Volume 4 is in English, but the quality of translation is uneven, and some chapters require careful reading to be comprehended. The book would have profited from further editing by an English language specialist. However, it is an up-to-date review of the classic region of karst studies and, as a field guide, will illuminate a visit to a country that is as lovely to look at as it is fascinating in its geology and geomorphology.

Volume 3, *List of Terms of Hydrogeology*, is intended to aid in translations and international comparisons in all categories of hydrogeology and geohydrology studies. It presents 300 different terms grouped under Hydrogeology, Hydrogeochemistry, and Hydrogeothermal sections. The English, French, German, Spanish and Russian equivalents for each

term are presented together, and Arabic equivalents are given in a separate list. Entries are indexed in all six languages and 53 of the terms are defined in Russian, French and English.

The volume appears incomplete, and more brief definitions would be helpful. Some of the terms in the English translation, seem unnecessary because they are over-elaborate, such as "pressure head of artesian thermal water." There are also some very surprising omissions, including "aquifer," "aquiclude," and "activity of ionic species." Nevertheless, it is appreciated that compiling, selecting and translating such lists are always difficult. Hydrogeologists will welcome this small book as an aid in their international reading.

D.C. Ford
Hamilton, Ontario, Canada

PETROLEUM RESOURCE ASSESSMENT

THE LATEST WORD on statistical methods, size distribution of oil fields vs basin characteristics and other key elements of the "art and science" of oil and gas resource appraisal. Includes many practical examples of problem solving using procedures developed recently in Canada and the U.S.A. 157p.

Please send _____ copy/copies of *Petroleum Resource Assessment* @ \$20(US) (Price includes surface postage. For air mail add \$4 within North America and \$3 elsewhere). Cheques must be drawn on a Canadian or US bank and made payable to: EPISODES.

VISA _____ or MASTERCARD _____

NO.

Expiry date

Signature

NAME:

ADDRESS:

Return to: Episodes, Room 177, 601 Booth St.,
Ottawa, Ontario Canada K1A 0E8.