ODP IN THE SOUTH ATLANTIC

■ During April and May, 1987, the JOIDES Resolution, the ODP drillship, investigated the region between the South Atlantic and the Weddell Sea (Leg 114). About 2.5 kms of sediment cores were retrieved containing a 90 Ma record that indicates a 2-5 Ma erosional hiatus about 40 Ma ago, possibly caused by dense bottom waters flowing northwards for the first time from the Weddell Basin into the South Atlantic.

A second break lasting from 26 Ma to 7 Ma ago reflects the northward advance of the Antarctic Convergence, due to intensified circum-Antarctic flow caused by the opening of the Drake Passage between South America and the Antarctic Peninsula. These breaks were not, however, detected on Meteor Rise to the northeast of the junction between the Mid-Atlantic Ridge and the Southwest Indian Ridge where a nearly continuous sedimentary record contains information that links the glacial cycles of the Southern to that of the Northern Hemisphere.

...AND NOW THE INDIAN OCEAN

■ The 15th ODP cruise (Leg 115) took place from late May to early July 1987, as the JOIDES Resolution sailed from Mauritius to Sri Lanka. The center of attraction here was the trail of volcanic islands that stretches from Réunion Island to the southern tip of India. Samples of basalts recovered from selected sites will be dated so as to determine when the Indian Plate passed by during its trip northward. The preliminary results appear to confirm that a single mantle plume could have formed these islands, for the age of volcanism increases from the south, where Réunion is still active, to the north, perhaps as far as the Deccan Traps.

WERE THE DECCAN TRAPS REALLY MANTLE PLUME PRODUCTS?

■ The Deccan Traps are now being discussed not only as possible products of a stationary mantle plume over which this part of India glided some 65 Ma ago, but also because this tremendous volume of lavas (250,000 km³) has now been linked by some workers to the K-T boundary event. However, M.N. Saxena (Panjab University, India) points out that the Traps are located in a part of the Indian Shield that has been the site of igneous activity from the Archaean to the Recent (*Journal of Southeast Asian Earth Sciences*,

vol. 1, no. 4, 1986). Eruptions here took place as early as 100 Ma years ago, continuing intermittently to about 20 Ma ago, with some of the youngest and most highly differentiated lavas occurring in the north, a situation hard to reconcile with a plate moving north over a fixed mantle plume.

THE HIMALAYAS OLDER THAN THOUGHT

■ ODP Leg 116, completed in early September 1987, has revised ideas about the timing of the Himalayan uplift and the formation of the Bengal Fan. Analyses of microfossils in deep-sea sediment cores from the feather edge of the Fan, to the south of Sri Lanka, show that the Himalayas had been uplifted at least 20 Ma ago, 10 Ma earlier than current theories place this major event. The sheet of sediment that covers the Bay of Bengal has proved to be larger and thicker than had been realized, covering 3 x 10⁶ km² and more than 2,500 km wide at the Equator; its volume is estimated at 5-10 times that of the Himalayas presently above sea level.

Preliminary investigation of the cores indicates that the Himalayas may have been eroded to base level after their initial formation and then uplifted again by plate movements in the past million years. The Bengal Fan also preserves a record of the folding and faulting that resulted from the northward movement of India to the west and the generation of new sea floor along the mid-oceanic ridge to the south. Holes drilled on one such fault block indicate that the deformation began 7 Ma ago and continues today.

FRASNIAN-FAMENNIAN BOUNDARY SPIKE PROPOSED

■ A stratotype for the base of the Famennian (the Frasnian-Famennian Boundary) has been chosen by the Subcommittee for Devonian Stratigraphy at its recent meeting in Calgary, Canada. This was selected to correspond to the base of the Lower *Palatolepis triangularis* conodont Zone at the well-known Coumiac Quarry near Cessenon in the Montagne Noire of southern France. The decision is now being put to the full voting membership of the Subcommittee and will be subject to ratification by the Commission on Stratigraphy and the IUGS Executive. Progress was also made toward defining the Pragian, Emsian, and Givetian Stages.

NEW EXECUTIVE FOR INQUA

■ At the 12th Congress of the International Union for Quaternary Research held last August in Ottawa, the following were elected to the new executive, which will hold office until 1991: President - N.W. Rutter (Canada), Secretary-General - C.H. Schlüchter (Switzerland), Treasurer - B.P. Hageman (The Netherlands), Past-President - H. Faure (France), Vice-Presidents - M.N. Alekssev (U.S.S.R.), J.M. Bowler (Australia), F. Gullentops (Belgium), and Liu Tung-sheng (China). China will host the next INQUA Congress in Beijing in August 1991.

AND NEW FACES AT IUGG

■ At the 19th General Assembly of the International Union of Geodesy and Geophysics (IUGG) in Vancouver, Canada, in August 1987, a new Bureau was elected. The President of IUGG is now V.I. Keilis-Borok (U.S.S.R.), with C. Kisslinger (U.S.A.) as Vice-President, P. Melchior (Belgium) as Secretary-General, and S. Gregersen (Denmark) as Treasurer. Members of the IUGG Bureau are G.A. McBean (Canada), H. Moritz (Austria), and D.Z. Ye (China). New Presidents were also elected for the seven international associations that make up IUGG. For IAG the new President is I. Miller (U.S.A.), IASPEI: St. Müller (Switzerland), IAVCEI: C. Aramaki (Japan), IAGA: R. Gendrin (France), IAMAP: G.B. Tucker (Australia), IAHS: V. Klemes (Canada), and for IAPSO, J. O'Brien (U.S.A.).

U.S. CONCERN OVER RISING SEA LEVELS

■ According to a National Research Council report just released, during the past 100 years relative sea level has risen about 30 cm along the Atlantic Coast of the U.S.A., 15 cm along the Gulf of Mexico, and 10 cm along the Pacific. Much of this rise is attributed to land subsidence due to groundwater or hydrocarbon extraction, earthquakes and soil compaction, or to compensation for glacial rebound farther north. However, the worldwide rise of eustatic sea level is also a major factor, and the report (*Responding to Changes in Sea Level: Engineering Implications*) examines three scenarios for the year 2085 where sea level is higher by 0.5, 1.0, and 1.5 m. The changes will be gradual enough that major facilities such as roads, bridges, airports, sewers, landfills and wharves can be raised or protected. However, each location will have to be

News in Brief

treated as a special case, with careful attention paid to the erosional and depositional effects in adjacent areas of constructing jetties, sea walls, groynes, or dredging of channels.

UNPLEASANT SURPRISES AHEAD?

■ There is a danger that the climatic changes that are increasingly concerning us all may not be gradual in coming, giving society time to adjust, but sudden and sharp due to key interactions between natural and/or human forces, for example, in the ocean-atmosphere system. Ice core records for example show that during glacial time the climate changed "frequently and in great leaps." Increases in the greenhouse gases could perhaps jolt the ocean-atmosphere system out of its current mode. To cope with such eventualities Wallace Broecker (Lamont-Doherty Geological Observatory) argues cogently in *Nature* (July 1987) that we have to "greatly expand our efforts to understand the individual parts of the Earth's great surface system and the interactions among them." Areas requiring specific attention are the large scale circulation of the ocean, processes regulating soil moisture and sea ice, those responsible for cloud formation, and the role of biogeochemical processes on the composition of the atmosphere. Broecker regards the present scientific agencies in the

U.S.A. as incapable of a proper response to these challenges and proposes the setting up of a new national institute for the environment, with the responsibility for basic research on essential issues.

LINKS BETWEEN SEISMICITY AND FLUID ACTIVITY

■ Growing recognition of the importance of water in seismicity has been emphasized in three recent papers. J.K. Costain, G.A. Bollinger and J.A. Speer (Virginia Polytechnic) suggest that in crustal rocks with fracture permeability, increases in shallow hydraulic head due to the recharge of groundwater basins can be transmitted to depths of 10–20 kms where they can trigger earthquakes (*Geology*, July 1987). Mechanisms for this "hydroseismicity" include small increases in fluid pressure at hypocentral depths, dissolution of minerals in water, and the solubility of water in minerals that can lead to structural weakening.

S. Crampin (British Geological Survey) proposes that stress-aligned fluid-filled microcracks pervade most crustal rocks in a distribution that he calls extensive-dilatancy anisotropy (*Nature*, 6 August 1987). The existence of EDA can be recognized by shear-wave splitting, which has now been observed in many places. Ruling

out other explanations for seismic anisotropy, Crampin suggests that EDA microcracks are aligned by contemporary stresses and cause a wide range of phenomena such as high fluid pressure necessary for fault movements, flexure of crustal plates, main driving mechanisms for earthquake precursors, and high conductivity deep in the crust. The analysis of the geometry of these cracks and stresses may lead, inter alia, to an ability to predict orientations of hydraulic fractures, estimating the internal structure of hydrocarbon reservoirs, investigating rockbursts in mines, and estimating slope stabilities.

A link between earthquake rupturing and fluid activity is also made by R.H. Sibson (University of California at Santa Barbara) in a recent review of epithermal mineralization located in dilational jogs between en echelon fault segments as fissure veins and wall-rock breccias (*Geology*, August 1987). Observed changes in ruptures at such jogs is believed to involve extensional fracturing at rupture tips which locally reduces fluid pressures and induces suction. The result is brecciation by "hydraulic implosion" and a concentrated influx of fluids along pipe-like conduits that can act as loci for magmatic-hydrothermal systems and for episodic mineral deposition.

A LEADING EARTH SCIENCE JOURNAL

JOURNAL OF AFRICAN EARTH SCIENCES

Editor-in-Chief: **CA KOGBE**, Rock View International, CEEI-Rock View,
1-5 rue Gutenberg, 75015 Paris, France

AIMS AND SCOPE

The Journal of African Earth Sciences is an international interdisciplinary journal devoted to all aspects of research related to the African continent. Papers incorporating the results of research on regional geology of the African cratons and mobile belts, economic geology, geophysics, structure, Quaternary geology and analysis of sedimentary basins are featured.

In addition the journal includes book reviews, short notes and selected papers from the proceedings of conferences, symposia and workshops on any aspect of African geology and related subjects.

Special Issues

— Also available to non-subscribers
Micropaleontology & Biostratigraphy of the Coastal Basins of West Africa, C A KOGBE & K MEHES. (Volume 5, No 1).
Felsic Plutonic Rocks & Associated Mineralization of the Kingdom of Saudi Arabia, A R DRYSDALL, C R RAMSAY & D B STOESER. (Volume 4).
Metamorphic map of Zambia (Colour map and explanatory notes), J RIDGWAY & R RAMSAY. (Volume 5, No 5).

Subscription Information

1987: Volume 6 (6 issues)
Annual subscription (1987) US\$145.00
Two-year rate (1987/88) US\$275.50

Pergamon Press also publishes the Journal of Southeast Asian Earth Sciences and the Journal of South American Earth Sciences — Full details on request.

FREE SAMPLE COPY OF ANY PERGAMON JOURNAL AVAILABLE ON REQUEST

PERGAMON PRESS

Fairview Park, Elmsford, New York 10523, USA Tel: 914-592-7700 Headington Hill Hall, Oxford OX3 0BW, UK Tel: (0865) 64881

JEA 016/4/87

LIST OF ABBREVIATIONS

(Others are identified in the text or in *Directory of IUGS Bodies*)

AGID	Association of Geoscientists for International Development
CCOP	Committee for Co-ordination of Joint Prospecting for Mineral Resources in Asian Offshore Areas
CGMW	Commission for the Geological Map of the World
CPCEMR	Circum-Pacific Council for Energy and Mineral Resources
GARS	Geological Applications of Remote Sensing
GEBCO	General Bathymetric Chart of the Oceans
IAEA	International Atomic Energy Agency
IAHS	International Association of Hydrological Sciences
IAGA	International Association of Geomagnetism and Aeronomy
IAHS	International Association of Hydrological Sciences
IAMAP	International Association of Meteorology and Atmospheric Physics
IAPSO	International Association of Physical Sciences of the Ocean
IASPEI	International Association of Seismology and Physics of the Earth's Interior
IAVCEI	International Association of Volcanology and Chemistry of the Earth's Interior
ICSU	International Council of Scientific Unions
INQUA	International Union for Quaternary Research
IOC	Intergovernmental Oceanographic Commission
ODP	Ocean Drilling Program
UNEP	UN Environment Programme
WOVO	World Organization of Volcano Observatories

NOW AVAILABLE!

International
Union of
Geological Sciences

Publication No. 22

THE ORDOVICIAN SYSTEM OF SOUTH AMERICA

by F.G. Acenolaza and B. Baldi

1987

Correlation Charts and Explanatory Notes. 70 pages, 4 figures and 3 charts.

To receive your copy send \$11.50(US) to: Episodes, Rm. 177, 601 Booth Street, Ottawa, Ontario Canada K1A 0E8. Copies may also be obtained from IUGS Secretariat, Geological Survey of Norway, PO Box 3006, N-7001 Trondheim, Norway, and from IUGS Liaison Office, 103 rue de Lille, 75007 Paris, France.

Episodes

EARTH SCIENTISTS must contend with rapidly advancing knowledge and an ever-growing information base. They must also keep pace with a bewildering diversity of organizations and a wide array of conferences, seminars and workshops.

EPISODES helps solve these problems by covering both scientific and organizational news. Feature articles - contributed by leading geoscientists from all parts of the world - review developments at the frontiers of the earth sciences.

EVERY issue includes reports on new developments in international earth science. Other standard features (e.g. book reviews, training courses, coming events) emphasize the resource aspect of the newsmagazine.

If you are interested in what is going on globally in the geosciences, you should be reading Episodes on a regular basis.

Global Standards in Stratigraphy
Forecasting Volcanic Eruptions

The Kola Super-Deep Drill Hole
Chinese Loess & Paleoclimates

Precambrian Paleosols
The Origin of Tethys

Please enter my subscription to Episodes
\$20-US for a 1 year subscription
(1988 subscription rate)

Name: _____

Address: _____

City: _____

Province: _____

Country: _____

Postal Code: _____

Mastercard _____ & Visa _____

Expiry Date _____

Signature _____

Note: Cheques or money orders must be drawn on a North American bank and made payable to Episodes, Room 177, 601 Booth St., Ottawa, Ontario, CANADA K1A 0E8.

Your Window to the World